POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

REGION SITE NUMBER (to be seet

A. SITE NAME	I. SITE IDE	NTIFICATIO		50 293	794
INTERNATIONAL GALVA	NIZERS	500 Ind	(or other identifier) ustry Rd.		
Beaumont		TX	77702	Jeffers	
G. SITE OPERATOR INFORMATI	ON		1		
	e President of Product	tion		(713)842	-0216
500 Industry Road	A. CITY Beaumont			Texas	77702
1. NAME	ON (II different from operator of alte)				NE NUMBER
Bob Ransonette, Own	er			(713)356	-1497 (home)
Beaumont				TX	77702
steel	galvanizing plant (ph impoundments were used	otos 2,3	,4) with und	derground w	aste storage
J. TYPE OF OWNERSHIP	impoundments were used	to stor	e waste in	the past.	(photos 5-9.11
1. FEDERAL 2.	STATE _ 3. COUNTY _	4. MUNICIPA	L XX S. PRI	ATE	
	IL TENTATIVE DISPOSITION	ON (complete	this section last		
A. ESTIMATE DATE OF TENTA		AND THE RESERVE OF THE PARTY OF			
DISPOSITION (mo., day, & yr.).	☐ 1. HIGH ☐	2. MEDIUM	3. LOW	XX 4. NO	ue .
C. PREPARER INFORMATION					
David Anderson	iderson	(214)74	2-4521	Sept. 9.	
	III. INSPECTIO			Joseph 5,	1500
A. PRINCIPAL INSPECTOR INFO		2. TITLE			
David Anderson			mist Region	VI	
	ment, 1509 Main, Dalla				2-4521
B. INSPECTION PARTICIPANTS	2.086	ANIZATION		3. 75	LEPHONE NO.
			7520		
Gene McDonald	Ecology & Environme	nt, 1509	Main, Dalla	IS TX (214)742-4521
C. SITE REPRESENTATIVES IN	TERVIEWED (corporate officiale, wor	kere, reeldents)		
1. NAME	Dwner	٥.		3. ADDRESS	
Bob Ransonette	(713)356-1497	500	Industry Ro	Beaumon	t, TX 77702
David as Herri	Vice President of P	rod.	Ter Similar Similar		
Douglas Haydon	(713)842-0216	500	Industry Ro	Beaumon	t. TX 77702
David Boyd Dean	(713)842-0216	500	Industry Ro	Beaumon	ERFUND FILE
				DE	C 3 1 1992
					0 0 2 1001

EPA Ferm T2070-3 (10-79)

PAGE 1 OF 10

Continue On Reverse

EPA Pam T2070-3 (10-79)

PAGE 2 OF 10

Continue On Page 3

Continued From Page 2							
C. PHOTOS		IV. SAMP		1000	TION (continued)	-	
1. TYPE OF PHOTOS		1	2. PHOTOS IN	4 C	USTODY OF: EPA Region	VI	
Xa. GROUND D. AE	RIAL		See att	ta	chments		
D. SITE MAPPED?	-		300 00			-	
X YES. SPECIFY LOCATION	OF N	IAPS:					
See attached map							
E. COCRDINATES							
1. LATITUDE (degminsec.)				2	. LONGITUDE (degminsec.)	,	
2	9 ⁰ 5	9'43" N			9	4	⁰ 11'43" W
			J. SITE INFO	R	MATION		
A. SITE STATUS						100	
1. ACTIVE (Those inductrial municipal sites which are being used for waste treatment, storage, or dion a continuing basis, even if infequently.)	po's	2. INACTIV sites which no lo wastes.)	E (Those onger receive		3. OTHER(specify): (Those sites that include such include where no regular or continuing use has occurred.)		
B. IS GENERATOR ON SITE?							
1. NO X 2. YES(s)	ecif	generator's four-di	git SIC Code):		3479		
C. AREA OF SITE (in acres)		D. ARE THERE	BUILDINGS O	N	THE SITE?		
10		☐ 1. NO	X 2. YES(8	pe	elly): Plant building an	ıd	office
		VI. CHARAC	TERIZATIO	N	OF SITE ACTIVITY		
Indicate the major site activity(es)	and details relation	ng to each ac	tiv	rity by marking 'X' in the approp	pri	ate boxes.
A. TRANSPORTER	X	B. STOR	ER	'X'	C. TREATER	, x,	D. DISPOSER
1.RAIL		1. PILE			1. FILTRATION		1. LANDFILL
2. SHIP	X	2. SURFACE IMPO	UNDMENT		2. INCINERATION		2. LANDFARM
3. BARGE		3. DRUMS			3. VOLUME REDUCTION		3. OPEN DUMP
X4. TRUCK		4. TANK, ABOVE	ROUND		4. RECYCLING/RECOVERY		4. SURFACE IMPOUNDMENT
5. PIPELINE	X	S. TANK, BELOW	ROUND		S. CHEM./PHYS./TREATMENT		5. MIDNIGHT DUMPING
6. OTHER (specify):		6. OTHER (specify)			6. BIOLOGICAL TREATMENT		6. INCINERATION
Allstate Vacuum		stes current			7. WASTE OIL REPROCESSING		7. UNDERGROUND INJECTION
truck transports		ited are stor		_	8. SOLVENT RECOVERY		8. O THER (specify):
waste from site to disposer.	Sito	store wast	owner, ndments h es for pa	st	ve not been used to t 8 years. They curre re in one of the ponds	n	tly is slightly discolor
E. SUPPLEMENTAL REPORTS: 1: which Supplemental Reports you	the	site falls within any	y of the catego	rie			
	2. IN	CINERATION	3. LANDFIL	L	4. SURFACE	5	DEEP WELL
6. CHEM/BIO/	7. L	ANDFARM	8. OPEN DI] 10	D. RECYCLOR/RECLAIMER
A. WASTE TYPE		VII. WA	SIE KELAT	EL	INFORMATION		
	2. 50	DLID [] 3. SLUDGE		4. GAS		
B. WASTE CHARACTERISTICS	100						
Y 1. CORROSIVE	2. 10	NITABLE T	3. RADIOA	CT	IVE A. HIGHLY VOLATILE		
5. TOXIC			7. INERT		8. FLAMMABLE		
9. OTHER (epecify):							
C. WASTE CATEGORIES 1. Are records of wastes available							
Records of shipments	of	waste are a			t International Galva	ní	
EPA Form T2070-3 (10-79)			PAGE	3 (OF 10		Continue On Reverse

Continued From Front

S. NON-WORKER INJURY/EXPOSURE	VIII. HAZARD DESCRIPTION (continue	ra)
B. NON-WORKER INJURY/EXPOSURE		
C. WORKER INJURY/EXPOSURE		
D. CONTAMINATION OF WATER SUPPLY		
E. CONTAMINATION OF FOOD CHAIN		
F. CONTAMINATION OF GROUND WATER		
_ F. CONTAMINATION OF GROUND WATER		
G. CONTAMINATION OF SURFACE WATER		
PA Ferm T2070-3 (10-79)	PAGE 5 OF 10	Continue On R

Continued From Front	VIII. HAZARD DESCRIPTIO	N (continued)	
H. DAMAGE TO FLORA/FAUNA			
. I. FISN KILL			
J. CONTAMINATION OF AIR			
K. NOTICEABLE GOORS			<u>.</u>
L. CONTAMNATION OF SOIL			
M. PROPERTY DAMAGE			

PAGE 6 OF 10

Continue On Page 7

EPA Fem T2070-3 (10-79)

T. MIGNIGHT CUMPING				
U. OTHER (openity):				
	IX. POPULATION DIR	ECTLY AFFECTED BY SI		
		ECTLY AFFECTED BY SIT	LE O. APPROX. NO.	E. DISTANCE
A. LOCATION OF POPULATION	IX. POPULATION DIR			E. DISTANCE TO SITE (opecity unite)
	S. APPROX. NO. OF PROPLE AFFECTED	C.APPROX. NO. OF PEGI AFFECTED WITHIN UNIT AREA	O. APPROX. NO. OF BUILDINGS AFFECTED	(specify units)
.IN RESIDENTIAL AREAS		C. APPROX. NO. OF PEOP	OF BUILDINGS	TO SITE
IN RESIDENTIAL AREAS	S. APPROX. NO. OF PROPLE AFFECTED	C.APPROX. NO. OF PEGI AFFECTED WITHIN UNIT AREA	O. APPROX. NO. OF BUILDINGS AFFECTED	(specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUISTRIAL AREAS IN SUBJECT TRAVELLET AREAS	20	c. APPROX. NO. OF PEOF AFFECTED WITHIN UNIT AREA	o. APPROX. NO. of BUILDINGS AFFECTED	l Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUSTRIAL AREAS IN PUBLICLY TRAVELLE AREAS	20 300	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300	O. APPROX. NO. OF BUILDINGS APPECTED 5 15	1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUESTRIAL AREAS IN PUBLICLY TRAVELLE AREAS (parks, schools, occ.)	20 300 1000 0	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0	D. S. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL GRINDUSTRIAL AREAS IN PUBLICLY TRAVELLE AREAS "PUBLIC USE AREAS "(purito, schoole, etc.) DEPTH TO GROUNDWATER/spec	20 300 1000 0 X WATER	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0	O. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0 4 C. GROUNGWATER USE	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUSTRIAL AREAS IN SUBLICE TRAVELLE AREAS INGUSTRIAL AREAS	20 300 10000 0 X WATER A STREETED	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0 AND HYDROLOGICAL DAT FLOW	D. S. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUSTRIAL AREAS IN PUBLICLY TRAVELLE AREAS "DUBLIC USE AREAS "D	20 300 10000 0 X WATER A STREETED	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0 AND HYDROLOGICAL DAT FLOW	D. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0 AC. GROUNGWATER USE IN None	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUETRIAL AREAS IN PUBLICLY TRAVELLE AREAS PUBLIC USE AREAS (Parks, sensole, etc.) DEPTH TO GROUNDWATER GOOD LESS than 15 ft. POTENTIAL YIELD OF AQUIFER JINKNOWN FROM USCS TYPE OF DRINKING WATER SUP	20 300 10000 0 X. WATER A SE	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0 AND HYDROLOGICAL DAT FLOW DRINKING WATER SUPPLY	O. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0 C. GROUNGWATER USE IN NONE F. GIRECTION TO DRINK!	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile
IN RESIDENTIAL AREAS IN COMMERCIAL OR INQUETRIAL AREAS IN PUBLICLY TRAVELLE AREAS PUBLIC USE AREAS (Parks, sensole, etc.) GEPTH TO GROUNDWATER GOOD GES THAN 15 ft. POTENTIAL TIELD OF AQUIFER INKNOWN FROM USCS TYPE OF DRINKING WATER SUP	20 300 10000 0 X WATER A STREETED	C. APPROX. NO. OF PEOP AFFECTED WITHIN UNIT AREA 20 300 10000 0 AND HYDROLOGICAL DAT FLOW DRINKING WATER SUPPLY	S. APPROX. NO. OF BUILDINGS AFFECTED 5 15 0 0 None F. GIRECTION TO DRINK! NNE	1 Mile 1 Mile 1 Mile 1 Mile 1 Mile

1-1

· [=]

	VIII. HAZARD DESCRIPTION (continue	od)
N. FIRE OR EXPLOSION		
O. SPILLS/LEAKING CONTAINER	S/RUNOFF/STANDING LIQUID	
Here the second		
P. SEWER, STORM DRAIN PROBLE	FMS	
-1		
O. EROSION PROBLEMS		
_,		
A. INADEQUATE SECURITY		
er sylvening at the control of the control of the control of		
		Reference of the Committee Committee of the Committee of
S. INCOMPATIBLE WASTES		
Property of the property of the company of		

PAGE 7 OF 10

Continue On Reverse

EPA Form T2070-3 (10-79)

LIST ALL DA	INKING WATER	WELLS WITHIN A 1/4 MILE RADIUS OF SITE			
1. WELL	2. DEPTH (specify unit) (proximity to popular	rion tion/buildings)	MON-COM- MUNITY (mark 'X')	COMMUNICATIVE (X
NONE					
					-
		/			
RECEIVING W	ATER				
Cana Secret US 0703 Clas	sification	4. LAKES/RESERVOIRS	other(aposity):	· 	
		XI. SOIL AND VEGITATI	ON DATA		
A. KNOWN	SITE IS IN:		C. 100 YEAR FLO		
E. A REG	ULATED FLOOD			ONE OR SOLE SOURCE AQUIFE	•
Mark (V) to la	Hanta the torac	XII. TYPE OF GEOLOGICAL MAT of geological material observed and spec			
Mark .Y. to Inc	'x	s) of geological material observed and spec	lx'	ery, the component parts.	
A. CVERB	URDEN	B. BEDROCK (epecify below)		C. OTHER (epecify below)	
1. SAND					
2. CLAY	X.	BEAUMONT FORMATION			
3. GRAVEL					
		XIII. SOIL PERMEAE	ILITY		
	ATE (10 to .1 cm	S. VERY HIGH (100,000 to 1000 to 2000)		. HIGH (1000 to 10 cm/sec.) . VERY LOW (.001 to .00001 cm/)
. RECHARGE	À 2. NO	3. COMMENTS:			
. DISCHARGE	X 2. NO	3. COMMENTS:			
. SLOPE	OF SLOPE	2. SPECIFY DIRECTION OF SLOPE, CONDIT Slopes to SE, grassy slope	ON OF SLOPE, E	тс.	
3 %	LOGICAL DATA				

EPA Form T2070-3 (10-79)

PAGE 9 OF 10

Continue On Reverse

		XIV. PERMIT INF			Control of the Control		Section 1
List all applicable permits h	eld by the sate a	nd provide the related in	formation.		10	COMPLI	AHCE
A. PERMIT TYPE	a. ISSUING	S. ISSUING C. PERMIT ISSUED		E. EXPIRATION DATE		(mark 'X')	
o.b.RCRA, State, NPDES, etc.)	AGENCY	NUMBER	(man,day,bym)	(mec,day,hyre)	Y E5	NO	S. UN
State	TDWR	Registration 30568	5/18/80	None	х		
							+-
							-
							-
						Parties 1	+
	100		A STATE OF THE PARTY		-		
Company was fined	for a fish				rmatio	n obt	ained
Company was fined	for a fish	9)			rmatio	n obta	ained
Company was fined	for a fish	9)			rmatio	n obta	ained
company was fined	for a fish	9)			ma tio	n obt	a i ned
Company was fined	for a fish	9)			matio	n obta	a i ned
Company was fined	for a fish	9)			matio	n obt	ained
□ NOME	for a fish	9)			matio	n obt	a i ned


-

	UNDMENTS SITE INSI (Supplemental Repor		INSTRUCTION Answer and Explain as Necessary.
. TYPE OF IMPOUNDMENT			**************************************
Earthen			
STABILITY/CONDITION OF EMBANKM	ENTS		
Embankments in good cond	ition		
. EVIDENCE OF SITE INSTABILITY (Ex	seion, Settling, Sink Holes,	•(c-)	
YES A NO	LE OR REACTIVE WASTE		
T VES A NO	LE OR REACTIVE WASTE		
S. ONLY COMPATIBLE WASTES ARE STO			
□ YES □ NO NO Wastes at			<u> </u>
TYES NO N/A			
7. IMPOUNDMENT HAS LINER SYSTEM		78. INTEGRITY OF LINER SYSTE	
7b. FINDINGS		THE WO N/A	
N/A			
SOIL STRUCTURE AND SUBSTRUCTUR	RC .		
Clay soil			
. MONITORING WELLS			
TYES INO			
LENGTH, WIDTH, AND DEPTH See	sketch for dim	ensions of impoundments - 7 ft. (dikes built up :	2 ft shows around love
11. CALCULATED VOLUMETRIC CAPAC	177	- / It. (alkes bulle up .	5 Tt. above ground leve
3 Million Gallons			
3 Million Gallons			
3 Million Gallons 12 PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft.			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION			
3 Million Gallons 12. PERCENT OF GAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDGING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17. YES XI NO 15. DREDGING DISPOSAL METHOD			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDGING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDBING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDGING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDGING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF CAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DREDSING DISPOSAL METHOD N/A			
3 Million Gallons 12. PERCENT OF GAPACITY REMAINING 43% 13. ESTIMATE FREEBOARD 3 ft. 14. SOLIDS DEPOSITION 17 YES X NO 15. DRECSING DISPOSAL METHOD N/A			

EPA Form T2070-3C (10-79)

	FACILITIES SITE INSPECTION REPORT (Supplemental Report)	INSTRUCTION Answer and Explain as Necessary.
1. STORAGE AREA HAS CONTINUED IN THE STORAGE AREA HAS A CONFIL		
TYES XX NO	TEMENT STRUCTURE	
3. EVIDENCE OF LEAKAGE/OVE	RFLOW (If "Yes", document where and how much runoff is or	erllowing or leaking from containment)
4. ESTIMATE TYPE AND NUMBER		
5. GLASS OR PLASTIC STORAGE	CONTAINERS USED	
6. ESTIMATE NUMBER AND CAP	ACITY OF STORAGE TANKS	
	on underground tank.	
7. NOTE LABELING ON CONTAIN	ERS	
N/A		
8. EVIDENCE OF LEAKAGE COR location and extent of damage. ? YES XX NO	ROSION OR BULDING OF BARRELS/CONTAINERS/STORAG reke Photographs)	E TANKS (1144 Yes'), document evidence. Describe
9. DIRECT VENTING OF STORAG	E TANKS	
10. CONTAINERS HOLDING INCO- wasse-, Take PHOTOGRAPHS.) VES ANO	MPATIBLE SUBSTANCES (Il "Yee", document evidence. De	ecribe location and identity of hazardous
11. INCOMPATIBLE SUBSTANCE: hazardous waste. Take PHOTO YES XX	S STORED IN CLOSE PROXIMITY (If "Yes", document evider DGRAPHS.)	ice. Describe location and identity of
12. ADEQUATE CONTAINER WAS	HING AND REUSE PRACTICES DISPOSAL OF EMPTY STORAGE CONTAINERS	
	OU TELL OF COM I TO THE COM I AMERICA	

EPA Form T2070-3D (10-79)






Photographer / Witness
David Anderson / Gene McDonald
Date / Time / Direction
8-19-80/1010/W
Comments: photos 2, 3, +4
underground tank location
from truck loading & site
International Calvanizers
Photographer / Witness
Date / Time / Direction
Comments:
Photographer / Witness
Date / Time / Direction
Comments:







Photographer / Witness
David Anderson / Gene McDonald
Date / Time / Direction
8-19-80 / 10 15 / W
Comments: phota 5,6,7,8,9
Pond I on In, NE of
ditch on site, International
Galvanizers
Photographer / Witness
Date / Time / Direction
Comments:
Photographer / Witness
Photographer / Witness
Photographer / Witness Date / Time / Direction
Date / Time / Direction
Date / Time / Direction



Photographer / Witness
David Andrewn / Gene Mc Donald
Date / Time / Direction
8-19-80/1030/NIW
Comments: photos 11, 13, 14
Pond 2, SW of Ditch
International Galvanizers
Photographer / Witness
Date / Time / Direction
Comments:
Photographon / Witness
Photographer / Witness
Photographer / Witness Date / Time / Direction
Date / Time / Direction
Date / Time / Direction



Photographer / Witness

David Anderson / Gene Mc Donald

Date / Time / Direction

8-19-80 / 1040 / NW

Comments: plato # 15

Cully between the two
punds. International

Calvanizers

Photographer / Witness
Date / Time / Direction
Comments:
Photographer / Witness
Date / Time / Direction
Comments: